

A & F Wood Products, Inc

5665 Sterling Drive, Howell, Michigan 48843

Phone: 517-545-5811 Fax: 517-545-5633 Toll Free: 800-367-3293

www.afwood.com

Commercial

Effective: February 1, 2009

Oak, Plain Sliced Red

Veneer: Min. 1/50" thick.

Core: 28 – 32 lbs. per cubic foot (pcf)

Stiles: SHC, HC Bifold, SC Bifold: Mill Options

FPC, 90FD: Matching Edges

Door Size	SHC 1 3/4"	FPC 1 3/4"	90FD 1 3/4"	HC BIFOLD 1 3/8"	SC BIFOLD 1 3/4"	
2/0 x 6/8	-	Stock	-	-	-	
2/4 x 6/8	-	Stock	-	-	-	
2/6 x 6/8	-	Stock	-	-	-	
2/8 x 6/8	-	Stock	-	-	-	
3/0 x 6/8	-	Stock	Stock	-	-	2 Door
4/0 x 6/8	-	-	-	-	-	
5/0 x 6/8	-	-	-	-	-	
6/0 x 6/8	-	-	-	-	-	4 Door
Please contact your						
Sales Service Specialist						
at 800-367-3293						
for pricing						
2/0 x 7/0	-	Stock	-	-	-	
2/4 x 7/0	-	Stock	-	-	-	
2/6 x 7/0	-	Stock	-	-	-	
2/8 x 7/0	-	Stock	-	-	-	
3/0 x 7/0	-	Stock	Stock	-	-	2 Door
3/6 x 7/0	-	Stock	-	-	-	
3/8 x 7/0	-	* Stock	Stock	-	-	
4/0 x 7/0	-	* Stock	Stock	-	-	
5/0 x 7/0	-	-	-	-	-	
6/0 x 7/0	-	-	-	-	-	4 Door
2/0 x 8/0	-	-	-	-	-	
2/4 x 8/0	-	-	-	-	-	
2/6 x 8/0	-	-	-	-	-	
2/8 x 8/0	-	-	-	-	-	
3/0 x 8/0	-	**** Stock	Stock	-	-	2 Door
4/0 x 8/0	-	*** Stock	Stock	-	-	
5/0 x 8/0	-	-	-	-	-	
6/0 x 8/0	-	-	-	-	-	4 Door
3/0 x 9/0	-	***	Stock	-	-	2 Door
4/0 x 9/0	-	-	-	-	-	4 Door

Stave Core Doors	Call for Pricing	For Special size doors use next size up and add cut downs.			
20 Minute Doors	Available	HC	PC & 20Min	FD	
Pair of doors	Available	Rerail Height:	Available	Available	Available
		Restyle Width:	Available	Available	Available
* 5" Bottom rail standard					
** Available with 5" bottom rail					
*** 12" Bottom rail standard					
**** Available with 12" bottom rail					
Prices subject to change without notice					

A & F Wood Products, Inc

5665 Sterling Drive, Howell, Michigan 48843

Phone: 517-545-5811 Fax: 517-545-5633 Toll Free: 800-367-3293

www.afwood.com

Commercial

Effective: February 1, 2009

Birch Rotary Natural

Veneer: Min. 1/50" thick.

Core: 28 – 32 lbs. per cubic foot (pcf)

Stiles: SHC, HC Bifold, SC Bifold: Millwork Options

FPC, 90FD: Matching Edges

Door Size	SHC 1 3/4"	FPC 1 3/4"	90FD 1 3/4"	HC BIFOLD 1 3/8"	SC BIFOLD 1 3/4"
2/0 x 6/8	-	-	-	-	-
2/4 x 6/8	-	-	-	-	-
2/6 x 6/8	-	-	-	-	-
2/8 x 6/8	-	-	-	-	-
3/0 x 6/8	-	Stock	Stock	-	2 Door
4/0 x 6/8	-	-	-	-	-
5/0 x 6/8	-	-	-	-	-
6/0 x 6/8	-	-	-	-	4 Door
Please contact your					
Sales Service Specialist					
at 800-367-3293					
for pricing					
2/0 x 7/0	-	Stock	Stock	-	-
2/4 x 7/0	-	Stock	Stock	-	-
2/6 x 7/0	-	* Stock	-	-	-
2/8 x 7/0	-	* Stock	Stock	-	-
3/0 x 7/0	-	* Stock	Stock	-	2 Door
3/6 x 7/0	-	* Stock	-	-	-
3/8 x 7/0	-	* Stock	Stock	-	-
4/0 x 7/0	-	* Stock	Stock	-	-
5/0 x 7/0	-	* -	-	-	-
6/0 x 7/0	-	-	-	-	4 Door
<hr/>					
2/0 x 8/0	-	-	-	-	-
2/4 x 8/0	-	-	-	-	-
2/6 x 8/0	-	-	-	-	-
2/8 x 8/0	-	-	-	-	-
3/0 x 8/0	-	**** Stock	Stock	-	2 Door
4/0 x 8/0	-	*** Stock	Stock	-	-
5/0 x 8/0	-	-	-	-	-
6/0 x 8/0	-	-	-	-	4 Door
<hr/>					
3/0 x 9/0	-	*** Stock	-	-	2 Door
4/0 x 9/0	-	-	-	-	4 Door

Stave Core Doors	Call for Pricing	For Special size doors use next size up and add cut downs.			
20 Minute Doors	Available	HC	PC & 20Min	FD	
Pair of doors	Available	Rerail Height:	Available	Available	Available
		Restyle Width:	Available	Available	Available
* 5" Bottom rail standard					
** Available with 5" bottom rail					
*** 12" Bottom rail standard					
**** Available with 12" bottom rail					
Prices subject to change without notice					

A & F Wood Products, Inc

5665 Sterling Drive, Howell, Michigan 48843
 Phone: 517-545-5811 Fax: 517-545-5633 Toll Free: 800-367-3293
 www.afwood.com

Commercial

Effective: February 1, 2009

White Birch Rotary

Veneer: Min. 1/50" thick.
 Core: 28 – 32 lbs. per cubic foot (pcf)
 Stiles: SHC, HC Bifold, SC Bifold: Millwork Options
 FPC, 90FD: Matching Edges

Door Size	HC 1 3/4"	FPC 1 3/4"	90FD 1 3/4"	HC BIFOLD 1 3/8"	SC BIFOLD 1 3/4"
2/0 x 6/8	-	-	-	-	-
2/4 x 6/8	-	-	-	-	-
2/6 x 6/8	-	-	-	-	-
2/8 x 6/8	-	-	-	-	-
3/0 x 6/8	-	Stock	Stock	-	2 Door
4/0 x 6/8	-	-	-	-	-
5/0 x 6/8	-	-	-	-	-
6/0 x 6/8	-	-	-	-	4 Door
Please contact your					
Sales Service Specialist					
at 800-367-3293					
for pricing					
2/0 x 7/0	-	-	-	-	-
2/4 x 7/0	-	-	-	-	-
2/6 x 7/0	-	-	-	-	-
2/8 x 7/0	-	-	-	-	-
3/0 x 7/0	-	Stock	Stock	-	2 Door
4/0 x 7/0	-	Stock	Stock	-	-
5/0 x 7/0	-	-	-	-	-
6/0 x 7/0	-	-	-	-	4 Door
for pricing					
2/0 x 8/0	-	-	-	-	-
2/4 x 8/0	-	-	-	-	-
2/6 x 8/0	-	-	-	-	-
2/8 x 8/0	-	-	-	-	-
3/0 x 8/0	-	*** Stock	Stock	-	2 Door
4/0 x 8/0	-	*** Stock	Stock	-	-
5/0 x 8/0	-	-	-	-	-
6/0 x 8/0	-	-	-	-	4 Door
for pricing					
3/0 x 9/0	-	-	-	-	-
4/0 x 9/0	-	-	-	-	-

Stave Core Doors	Call for Pricing	For Special size doors use next size up and add cut downs.			
20 Minute Doors	Available	HC	PC & 20Min	FD	
Pair of doors	Available	Rerail Height:	Available	Available	Available
		Restyle Width:	Available	Available	Available
* 5" Bottom rail standard					
** Available with 5" bottom rail					
*** 12" Bottom rail standard					
**** Available with 12" bottom rail		Prices subject to change without notice			

A & F Wood Products, Inc

5665 Sterling Drive, Howell, Michigan 48843
 Phone: 517-545-5811 Fax: 517-545-5633 Toll Free: 800-367-3293
 www.afwood.com

Commercial

Effective: February 1, 2009

SOLID CORE FLUSH DOORS

Veneer: Min. 1/50" thick.
 Core: 28 – 32 lbs. per cubic foot (pcf)
 Stiles: FPC Matching Edges

Door Size	3/0 X 7/0	4/0 X 7/0	3/0 X 8/0	4/0 X 8/0	3/0 X 9/0	4/0 X 9/0
Rift Red Oak	** Stock		**** Stock	*** Stock	*** Stock	
Rift White Oak	* Stock		*** Stock			
Sliced White Oak	* Stock	-	*** Stock	*** Stock		
Sliced White Maple	** Stock	* Stock	**** Stock	*** Stock	*** Stock	*** Stock
Sliced Cherry	* Stock		*** Stock	*** Stock	*** Stock	
Honduras Mahogany	* Stock		*** Stock			

Please contact your
 Sales Service Specialist
 at 800-367-3293
 for pricing

Stave Core Doors	Call for Pricing	For Special size doors use next size up and add cut downs.		
20 Minute Doors	Available	HC	PC & 20Min	FD
Pair of doors	Available	Rerail Height:	Available	Available
		Restyle Width:	Available	Available
* 5" Bottom rail standard				
** Available with 5" bottom rail				
*** 12" Bottom rail standard				
**** Available with 12" bottom rail		Prices subject to change without notice		

A & F Wood Products, Inc

5665 Sterling Drive, Howell, Michigan 48843
 Phone: 517-545-5811 Fax: 517-545-5633 Toll Free: 800-367-3293
 www.afwood.com

Commercial

Effective: February 1, 2009

90M FIRE RATED DOORS

Veneer: Min. 1/50" thick.
 Core: 28 – 32 lbs. per cubic foot (pcf)
 Stiles: 90FD Matching Edges

Door Size	3/0 X 7/0	4/0 X 7/0	3/0 X 8/0	4/0 X 8/0	3/0 X 9/0	4/0 X 9/0
Rift Red Oak	Stock	Stock	Stock	Stock		
Rift White Oak	Stock		Stock			
Sliced White Oak	Stock		Stock	Stock		
Sliced White Maple	Stock		Stock	Stock		
Sliced Cherry	Stock		Stock	Stock		
Honduras Mahogany	Stock		Stock			

Please contact your
 Sales Service Specialist
 at 800-367-3293
 for pricing

Stave Core Doors	Call for Pricing	For Special size doors use next size up and add cut downs.		
20 Minute Doors	Available	HC	PC & 20Min	FD
Pair of doors	Available	Rerail Height:	Available	Available
		Restyle Width:	Available	Available
* 5" Bottom rail standard				
** Available with 5" bottom rail				
*** 12" Bottom rail standard				
**** Available with 12" bottom rail		Prices subject to change without notice		