

# A & F WOOD PRODUCTS, INC.

**Quick ship - Manufacturing - Warehouse Center**



*Wholesale Distribution Center*

## HOLLOW METAL DOOR



### Standard Features

- Thickness: 1 3/4"
- Core: Insulated Polystyrene
- Steel: 18 Gauge, GALV Steel
- Finish: Factory Primed
- Edges: Square
- Face: Flush
- Top Channel: Flush
- Hinge Preps: 7 Gauge
- Fire Label: Mylar Sticker



## MESKER Hinge Locations

Item ID	Description	LIST PRICE
6-C43068NP18CR *	3068 18GA. NP 161	STOCK
6-C43070NP18CR *	3070 18GA. NP 161	STOCK
6-MB3068NP18CR *	3068 18GA. NP GOV'T 86M	STOCK
6-M3070NP18CR *	3070 18GA. NP GOV'T 86M	STOCK

2/13/2012

# A & F WOOD PRODUCTS, INC.

**Quick ship - Manufacturing - Warehouse Center**



*Wholesale Distribution Center*

## HOLLOW METAL DOOR



### Standard Features

- Thickness: 1 3/4"
- Core: Insulated Polystyrene
- Steel: 18 Gauge, GALV Steel
- Finish: Factory Primed
- Edges: Square
- Face: Flush
- Top Channel: Flush
- Hinge Preps: 7 Gauge
- Fire Label: Mylar Sticker



## STEELCRAFT Hinge Locations

Item ID	Description	LIST PRICE
6-C43068NP18CR *	3068 18GA. NP 161	STOCK
6-C43070NP18CR *	3070 18GA. NP 161	STOCK
6-MB3068NP18CR *	3068 18GA. NP GOV'T 86M	STOCK
6-M3070NP18CR *	3070 18GA. NP GOV'T 86M	STOCK

# A & F WOOD PRODUCTS, INC.

**Quick ship - Manufacturing - Warehouse Center**



*Wholesale Distribution Center*

## HOLLOW METAL DOOR



### Standard Features

- Thickness: 1 3/4"
- Core: Insulated Polystyrene
- Steel: 18 Gauge, GALV Steel
- Finish: Factory Primed
- Edges: Square
- Face: Flush
- Top Channel: Flush
- Hinge Preps: 7 Gauge
- Fire Label: Mylar Sticker



### CECO Hinge Locations

Item ID	Description	LIST PRICE
6-C43068NP18CR *	3068 18GA. NP 161	STOCK
6-C43070NP18CR *	3070 18GA. NP 161T	STOCK
6-MB3068NP18CR *	3068 18GA. NP GOV'T 86M	STOCK
6-M3070NP18CR *	3070 18GA. NP GOV'T 86M	STOCK

# A & F WOOD PRODUCTS, INC.

**Quick ship - Manufacturing - Warehouse Center**



*Wholesale Distribution Center*

## HOLLOW METAL DOOR



### Standard Features

- Thickness: 1 3/4"
- Core: Insulated Polystyrene
- Steel: 18 Gauge, GALV Steel
- Finish: Factory Primed
- Edges: Square
- Face: Flush
- Top Channel: Flush
- Hinge Preps: 7 Gauge
- Fire Label: Mylar Sticker



## REPUBLIC Hinge Locations

Item ID	Description	LIST PRICE
6-C43068NP18CR *	3068 18GA. NP 161	STOCK
6-C43070NP18CR *	3070 18GA. NP 161T	-
6-MB3068NP18CR *	3068 18GA. NP GOV'T 86M	STOCK
6-M3070NP18CR *	3070 18GA. NP GOV'T 86M	-